

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th September, 1955—*contd.*

CHOLERA SMALLPOX PLAGUE								CHOLERA SMALLPOX PLAGUE							
---		C.	D.	C.	D.	C.	D.	---		C.	D.	C.	D.	C.	D.
Uttar Pradesh								West Bengal—<i>contd.</i>							
Meerut	2	.	.	(Estd. mid-year pop. 26,099 thousands.)							
Bareilly	2	.	.	Total for w/c 3-9-55							
Etawah	2	.	.	.	66	29	2	2	.	.	.
Gorakhpur	2	.	.	Total for w/c 27-8-55							
Deoria	3	.	.	.	71	36	5	3	.	.	.
Garhwal	1	2	.	7-yearly mean for the week							
Rae Bareilly	1	.	.	.	104	40	20	9	.	.	.
Sitapur	1	.	.	Grand Total for States Parts (A) & (C)							
Paritabgarh	2	2	.	.	85	52	139	30	.	.	.
TOTAL	.	.	.	12	8	.	.	Corresponding (Estd. mid-year pop 253,241 thousands.)							
(Estd. mid-year pop 66,112 thousands).								Corresponding Total for w/c 3-9-55							
Total for w/c 3-9-55	.	.	.	23	8	.	.	.	425	181	190	47	1	.	.
Total for w/c 27-8-55	.	.	.	16	4	.	.	Corresponding Total for w/c 27-8-55							
7-yearly mean for the week	.	210	110	11	4	6	2	.	616	283	190	61	.	.	.
								Corresponding 7-yearly mean for the week.							
								.	1,682	807	266	66	21	8	.
STATES PART (B)															
Madhya Pradesh								Hyderabad							
"N.R."								Aurangabad							
								1	.	.	.
								Raichur	.	.	.	9	5	.	.
								TOTAL	.	9	5	1	.	.	.
West Bengal								Jammu and Kashmir							
								"N.R."							
Burdwan	.	.	.	11	8	1	.	Madhya Bharat							
Birbhum	.	.	.	8	.	.	.	"N.R."							
Bankura	.	.	.	4	3	.	.	Mysore							
Midnapur	.	.	.	3	4	1	1	Bangalore							
Hooghly	2	1	.	5	2
Howrah	.	.	.	2	2	4	3	Bellary							
24-Parganas	.	.	.	2	1	1	.	.	23	5
Calcutta	.	.	.	7	3	.	.	TOTAL							
TOTAL	.	.	.	37	25	9	5	.	.	28	9

Explanation of symbols used : C.—Cases; D.—Deaths; .. = Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th September, 1955—*contd.*

CHOLERA						SMALLPOX						PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
Saurashtra																			
Patiala and East Punjab States Union						Zalwad		I	2			
						Halar		I	I			
						TOTAL		2	3	3	..			
Travancore-Cochin																			
Rajasthan						TOTAL				
						Grand Total for States Part (B)		.	.	.	37	14	3	3			
						Grand Total for States Parts A), (B) and (C).		122	66	142	33						
"N. R."																			

Explanation of symbols used : C.—Cases; D.—Deaths; ..—Nil.

NEW DELHI-2 (INDIA); }
The 3rd October, 1955 }

K. MITRA,
for Registrar General, India

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

AC. 686

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 10th September, 1955

Deaths from :—															
Town	Mid-year Popn. Est. (200)												Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES—(Part A and Part C)															
Ajmer		"N. R."													
Andhra															
Adoni	61	56	47·8	1	1	6	..	12	10·2	2		
Anantpur	36	19	27·4	2	1	10	14·4	3		
Anakapalli	45	33	38·1	4	3	1	..	14	16·2	5		
Bhimavaram	35	37	55·0	1	1	1	..	8	11·9	2		
Chirala	42	23	28·5	5	..	2	..	15	18·6	2		
Chittoor	44	37	43·7	2	..	1	..	10	11·8	3		
Cuddapah	41	24	30·9	2	2	..	8	10·3	2		
Eluru	97	35	18·8	4	1	3	..	16	8·6	4		
Gudivada	35	34	50·6	4	1	2	..	15	22·3	4		
Guntur	133	166	60·4	7	8	7	3	59	21·5	17		
Guntakal	36	30	43·2	2	3	1	..	13	18·7	1		
Kakinada	111	31	14·5	2	1	3	..	29	13·6	8		
Kurnool	67	98	76·0	3	5	1	32	24·8	7		
Masulipatnam	86	93	56·1	7	1	1	..	22	13·3	5		
Nandyal	37	24	33·7	2	3	4	..	12	16·9	..		
Nellore	92	101	56·8	3	8	5	..	38	21·4	4		
Proddatur†	119	69	30·2	5	1	..	1	23	10·1	7		
Rajahmundry		
Tenali	65	58	46·5	1	2	2	..	14	11·2	2		
Vijayavada	194	138	37·3	4	8	1	1	62	16·7	15		
Visakhapatnam	124	89	37·5	8	1	6	..	43	18·1	17		
Vizianagaram	74	44	30·9	4	1	4	..	17		
TOTAL	1,584	1,239	40·7	66	49	59	8	172	15·5	11		
Assam															
Shillong†	1	12	12·5	1		
Gauhati	50	22	22·9	1	1·2	..		
Dibrugarh	44	3	3·5		
Silchar	42	19	23·5	2	..	1	1	7	8·7	1		
TOTAL	136	44	16·8	2	1	1	1	20	7·6	2		
Bhopal															
Bhopal City	114	73	33·3	6	..	4	..	11	6·4	..		
Bihar															
Arrah	69	15	11·3	6	12	9·0	..		
Bihar	67	22	17·1	1	4	2	8	6·2	..		
Betiah	38	13	17·8	3	4·1	1		
Bhagalpur†		
Chapra	68	38	29·1	1	16	12·2	8		
Darbhanga	92	34	19·2	5	9	5·1	..		
Dhanbad	40	7	9·1	5	6·5	..		
Dinapur	44	6	7·1	1	2	5	5·9	..		
Gaya	146	101	36·0	33	4	10	1	72	25·6	..		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

(Figures not available.)

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. —Nil Information ; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 10th September, 1955—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from:—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bihar—contd.														
Hazaribagh	38	12	16.4	3	4.1	1	
Jamalpur	46	26	29.4	1	6	6.8	..	
Jamshedpur	241	113	24.4	1	2	1	..	15	3.2	4	
Katihar†														
Monghyr†														
Muzaffarpur	82	23	14.6	5	2	1	..	9	5.7	..	
Patna	321	224	36.3	6	2	44	7.1	..	
Purulia	46	6	6.8	1	2	4	4.5	..	
Ranchi	126	31	12.8	7	14	5.8	3	
TOTAL	1,464	671	23.8	2	69	14	13	3	225	8.0	17	
Bombay														
Ahmedabad	870	871	52.1	20	23	82	..	336	20.1	136	
Ahmednagar	87	67	40.0	1	2	6	..	25	14.9	6	
Amalner	49	61	64.7	6	..	2	..	15	15.9	3	
Bagalkot	36	28	40.4	5	..	1	..	10	14.4	3	
Baroda	237	261	57.2	24	5	13	1	85	18.6	22	
Barshi	45	47	54.3	11	1	23	26.6	7	
Belgaum	109	22	10.5	2	2	3	..	20	9.5	4	
Bhusawal	61	51	43.4	5	1	11	9.3	5	
Bijapur	73	85	60.5	4	..	5	1	22	16.6	9	
Broach†														
Cambay	41	43	54.6	1	..	2	..	5	6.3	1	
Chalisgaon	34	30	45.9	2	1	1	..	9	13.8	1	
Dharwar	75	47	33.4	2	..	1	1	16	11.3	1	
Dhulia	87	80	47.6	4	..	3	1	16	9.5	1	
Gadag-Betgeri	70	52	38.5	6	..	4	..	26	19.3	9	
Godra	40	72	93.6	8	13	16.9	1	
Greater Bombay	3,335	1,894	29.5	1	57	112	1	767	12.0	236	
Hubli	144	58	20.9	1	1	3	1	24	8.6	..	
Jalgaon	77	51	34.4	10	2	2	..	20	13.5	4	
Kalyan	70	26	19.3	2	1	5	..	10	7.4	1	
Kolhapur	155	110	36.9	4	3	7	1	37	12.4	9	
Malegaon	62	61	51.1	10	15	12.6	3	
Miraj	44	33	39.0	2	12	14.0	..	
Nadiad	70	67	49.5	18	..	2	..	34	21.4	11	
Nandurbar	34	19	29.0	1	1	..	1	7	10.7	1	
Nasik	115	99	44.7	9	3	4	..	39	17.6	16	
Navsari	49	46	48.8	4	12	12.8	5	
Pandharpur	44	55	65.0	3	5	8	..	27	31.9	10	
Patan	46	45	49.7	2	2	2	1	14	15.6	7	
Poona	584	468	41.7	2	11	34	2	168	14.9	62	
Sangli	57	32	29.1	2	1	3	..	14	12.7	3	
Satara	40	34	44.2	1	1	6	..	21	27.3	5	
Sholapur	293	360	63.9	13	6	50	2	151	26.7	39	
Surat	245	220	46.7	11	3	23	..	107	22.7	34	
Thana†														
TOTAL	7,378	5,495	38.7	197	131	384	14	2,111	14.9	655	
Delhi State														
Delhi City	1,085	958	45.9	99	19	24	3	233	11.2	73	
New Delhi	355	107	15.7	4	2	3	..	61	8.9	13	
N.A.C. Civil Station, Delhi	111	105	49.2	1	1	3	..	12	5.6	8	
Delhi Cantt.	49	24	25.5	2	2.1	..	
Delhi-Shahdra	51	56	57.1	4	..	1	..	8	8.2	4	
TOTAL	1,651	1,250	39.4	108	22	31	3	316	10.0	98	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th September, 1955—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madhya Pradesh				"N. R."											
Madras															
Ambur	44	34	40.2	2	5	5.9	2		
Aruppukottai	54	43	41.4	1	1	12	11.6	3		
Bodinayakanur	39	24	32.0	1	1	7	9.3	..		
Cannanore	46	40	45.2	3	1	14	15.8	2		
Chidambaram	38	44	60.2	1	1	..	6	8.2	..		
Coimbatore	227	242	55.4	3	6	21	..	69	15.8	29		
Cuddalore	73	112	79.8	2	1	2	1	22	15.8	11		
Dindigul	88	52	30.7	1	2	2	15	8.9	6		
Erode	65	55	44.0	1	2	2	..	11	8.8	1		
Gobichetty Palayam	37	16	22.5	2	..	3	4.2	1		
Guddiyattam	51	86	87.7	4	..	4	1	12	12.2	2		
Kancheepuram	89	68	39.7	3	13	2	41	24.0	5		
Karalkudi	43	17	20.6	5	6.0	1		
Karur	48	39	42.2	1	1	1	..	11	11.9	1		
Kozhikode	173	165	49.6	6	2	9	..	54	16.2	14		
Kumbakonam	102	42	21.4	2	2	1	35	17.8	1		
Madras	1,649	1,481	46.7	50	96	197	5	660	20.8	214		
Mangalore	133	83	32.5	7	1	28	10.9	4		
Mathurai	415	325	40.7	10	10	18	4	117	14.7	30		
Mayuram	48	29	31.4	5	5.4	3		
Melapalayam	40	22	28.6	1	..	4	..	9	11.7	..		
Nagapattinam	60	49	42.5	4	2	1	..	16	13.9	2		
Ottacamund	46	54	61.3	3	..	8	9.0	1		
Palani	39	55	73.3	1	1	3	..	12	16.0	4		
Palayamkottai	44	46	54.4	2	1	1	..	24	28.4	8		
Palghat	76	76	52.0	3	1	..	1	26	17.8	3		
Periyakulam	33	24	37.3	5	7.9	..		
Pollachi	49	36	38.2	1	1	1	..	9	9.6	2		
Pudukottai	49	26	27.6	1	5	5.3	1		
Rajapalayam	67	41	31.8	1	3	..	8	6.2	1		
Salem	234	140	31.1	7	5	16	..	62	13.8	10		
Srirangam	41	20	25.4	2	2	14	17.8	3		
Srivilliputtur	43	38	46.0	1	..	5	..	18	21.8	9		
Tanjore	115	100	45.2	1	1	4	1	27	12.2	4		
Tellicherry	42	45	55.7	2	1	5	..	30	37.1	3		
Tiruchirappalli	245	178	37.8	3	6	5	3	60	14.4	10		
Tirunelveli	79	70	46.1	1	7	..	25	16.5	8		
Tiruppur	61	67	57.1	..	1	..	1	1	22	18.8	7		
Tiruvannamalai	44	62	73.3	1	..	8	9.5	2		
Tuticorin	109	72	34.3	3	1	..	17	8.1	6		
Vaniyambadi	42	31	38.4	3	1	1	..	5	6.2	1		
Vellore	121	131	56.3	4	..	9	..	53	22.8	15		
Villupuram	39	28	37.3	2	2	..	10	13.3	2		
Virudunagar	51	40	40.8	2	2	3	2	14	14.3	4		
TOTAL	5,231	4,448	44.2	..	1	..	115	158	361	29	1,619	16.1	436		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Deaths Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th September, 1955—*contd.*

Deaths from :—														
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Orissa														
Berhampur	70	75	55.9	3	2	1	..	20	14.9	2	
Cuttack	114	129	59.0	7	1	9	..	42	19.2	6	
Puri	53	49	48.2	13	2	2	1	31	30.5	6	
TOTAL	237	253	55.5	23	5	12	1	93	20.4	14	
Punjab (I)														
Ambala	64	76	61.9	6	2	3	..	20	16.3	10	
Amritsar	335	222	34.6	8	22	1	94	14.6	35	
Batala	61	33	28.2	7	..	1	..	11	9.4	5	
Bhiwani	56	64	59.6	10	2	1	..	18	16.8	3	
Perozepore†	38	49	67.2	4	..	1	..	9	12.3	2	
Hissar	50	37	38.6	1	2	..	8	8.3	3	
Hoshiarpur	194	162	43.5	3	7	11	..	32	8.6	14	
Jullundur	69	56	42.3	6	3	1	..	16	12.1	4	
Karnal	172	154	46.7	21	..	2	..	32	9.7	10	
Ludhiana	40	43	56.1	2	..	1	..	6	7.8	2	
Moga	62	55	46.3	5	5	2	..	20	16.8	8	
Panipat	33	36	56.9	2	..	1	..	5	7.9	1	
Pathankot	36	32	46.4	1	2	2	..	7	10.1	4	
Rewari	102	80	40.9	8	2	1	..	20	10.2	12	
Rohtak	49	43	45.7	1	4	4.3	..	
Simla	33	37	58.5	3	1	2	..	7	11.1	3	
Sonapat	1,394	1,179	44.0	79	33	53	1	309	11.5	116	
TOTAL														
Uttar Pradesh														
Agra	367	574	81.4	3	9	54	..	156	22.2	62	
Allahabad†	60	83	72.1	10	2	4	1	33	28.7	10	
Amroha	46	38	43.1	4	..	1	2	9	10.2	3	
Bahrach	375	457	63.5	..	1	..	48	32	16	..	210	30.0	57	
Banaras	34	23	35.3	2	1	1	..	10	15.3	2	
Ballia	32	28	45.6	1	..	5	..	10	16.3	6	
Banda	201	128	33.2	9	3	8	2	28	7.3	7	
Barilly	54	66	63.7	18	2	4	..	32	30.9	14	
Bijnor†	40	58	75.6	9	2	4	..	28	36.5	15	
Budaun	141	59	21.8	..	2	..	1	..	2	..	19	7.0	3	
Basti†	85	25	15.3	2	1	5	3.1	1	
Bulandshahr†	81	73	47.0	11	2	4	..	30	19.3	12	
Chandausi	45	38	44.0	11	1	15	17.4	2	
Dehra Dun	36	36	52.0	6	1	12	17.4	5	
Etawah†	137	84	32.0	4	1	..	1	20	7.6	7	
Faizabad-Ayodhya	34	16	24.5	3	1	2	..	10	15.3	3	
Farrukhabad-Patchgarh	48	60	65.2	5	1	1	..	17	18.5	10	
Ferozabad†	63	61	50.5	12	1	1	..	20	16.5	3	
Ghaziabad	61	74	63.2	17	9	9	1	47	40.2	22	
Ghaziipur	56	35	32.6	5	..	3	..	15	14.2	2	
Gorakhpur	115	132	59.8	18	1	3	..	30	13.6	9	
Gonda	34	16	24.5	3	1	2	..	10	15.3	3	
Hapur	48	60	65.2	5	1	1	..	17	18.5	10	
Hardwar	63	61	50.5	12	1	1	..	20	16.5	3	
Hathras	61	74	63.2	17	9	9	1	47	40.2	22	
Jaunpur	56	35	32.6	5	..	3	..	15	14.2	2	
Jhansi	115	132	59.8	18	1	3	..	30	13.6	9	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile deaths included in total deaths; ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th September, 1955—*contd.*

Town	Mid.-year Popn. Est. (000)	B	B.R.*	Deaths from :—										Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
Uttar Pradesh— <i>con id.</i>																
Kanpur	716	583	41.0	118	22	53	4	329	23.1	105	..		
Kasganj	34	20	30.7	2	2	3.1		
Khurja	40	31	40.4	5	1	2	..	14	18.2	3	..		
Koili-Aligarh	148	108	38.0	4	2	5	..	24	8.4	10	..		
Lucknow†	108	156	75.3	12	3	2	..	28	13.5	15	..		
Mathura	108	156	75.3	12	3	2	..	28	13.5	15	..		
Mau-Nath Bhanjant†	181	114	32.8	10	..	2	1	23	6.6	7	..		
Meerut	95	87	47.7	18	1	5	..	35	19.2	9	..		
Mirzapur-Vindhyachal	163	171	54.7	14	5	9	2	48	15.3	13	..		
Moradabad	72	59	42.7	9	1	3	1	14	10.1	5	..		
Muzaffarnagar	72	59	42.7	9	1	3	1	14	10.1	5	..		
Pilibhit†	158	178	58.7	19	1	1	..	25	8.2	15	..		
Rampur†	99	69	36.3	18	34	17.9	12	..		
Saharanpur	48	23	25.0	1	..	3	..	9	9.8	3	..		
Sambhal†	99	69	36.3	18	34	17.9	12	..		
Shahjahanpur	48	23	25.0	1	..	3	..	9	9.8	3	..		
Sitapur	48	23	25.0	1	..	3	..	9	9.8	3	..		
TOTAL	3,973	3,747	49.0	..	3	..	429	106	207	15	1,347	17.6	452	..		
West Bengal																
Asansol†	33	16	25.3	1	3	4.7	2	..		
Baidyabati	65	4	3.2	2	..	3	2.4		
Bally	65	4	3.2	2	..	3	2.4		
Bankura	50	7	7.3	3	4	4.2	1	..		
Bansberia†	50	7	7.3	3	4	4.2	1	..		
Baramagar†	50	7	7.3	3	4	4.2	1	..		
Basirhat†	62	58	48.8	7	2	2	..	22	18.5	4	..		
Berhampur	34	10	15.3	3	6	9.2	3	..		
Bhadreshwar	34	10	15.3	3	6	9.2	3	..		
Bhatpara	141	52	19.2	8	2	1	1	24	8.9	9	..		
Budge-Budge	32	10	16.3	1	1	..	3	4.9	1	..		
Burdwan	81	13	8.4	2	2	11	7.1		
Calcutta	2,931	1,530	27.2	3	42	66	110	4	613	10.9	183	..		
Champdani	40	53	69.1	1	4	5.2		
Cooch Behar†	40	53	69.1	1	4	5.2		
Darjeeling†	35	28	41.7	1	4	6.0		
English Bazar	121	18	7.8	8	1	15	6.5	1	..		
Garden-Reach	121	18	7.8	8	1	15	6.5	1	..		
Halisahar	40	1	1.3	1	1.3	1	..		
Hooghly-Chinsura	60	66	57.4	2	1	4	..	12	10.4	3	..		
Howrah	471	163	18.0	1	3	..	3	15	33	..	117	13.0	39	..		
Jalpaiguri†	71	40	29.4		
Kamarhati†	71	40	29.4		
Kanchrapara	71	40	29.4		
Krishnagar	55	1	0.9	1	1	0.9	1	..		
Midnapur	44	28	33.2	2	1	10	11.9		
Nabadwip	67	39	30.4	1	2	1	1	11	8.6	1	..		
Naihati	61	3	2.6	1	1	..	2	1.7		
North Barrackpore	36	4	5.8	1	1	1.4		
Panihati†	36	4	5.8	1	1	1.4		
Santipur	48	20	21.7	5	5.4	2	..		
Serampur	82	51	32.4	4	5	1	..	16	10.2	2	..		
Siliguri	42	15	18.6	2	..	1	..	4	5.0		
South Dum-Dum†	120	10	4.3	4	2	..	13	5.6	4	..		
South Suburban	76	26	17.8	8	1	1	..	10	6.9		
Titagarh	76	26	17.8	8	1	1	..	10	6.9		
TOTAL	4,898	2,266	24.1	4	3	..	98	106	160	6	915	9.7	257	..		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D.R.—Death Rates ; I. D.—Infantile deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th September, 1955—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from 1—										Total	D.R.*	I. D
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
STATES—(Part B)																
Jammu & Kashmir		"N.R."														
Madhya Bharat		"N.R."														
Mysore																
Bangalore	936	523	29.1	11	45	85	..	253	14.1	
Mysore	285	140	25.5	14	6	7	..	62	11.3	
Kolar Gold Field	170	55	16.8	1	2	3	..	24	7.3	
Davangere†																
TOTAL		1,391	718	26.8	26	53	95	..	339	12.7
PEPSU																
Patiala City	108	79	38.0	11	..	2	..	23	11.1	10
Malerkotla	34	37	56.6	2	1	1	..	8	12.2
Bhatinda	38	32	43.3	4	5	6.8	1
TOTAL		180	148	42.8	17	1	3	..	36	10.4	11
Rajasthan																
Alwar	60	27	23.4	4	2	..	13	11.2	1
Bharatpur	38	12	16.4	8	..	2	..	13	17.7	2
Bikaner	117	50	22.2	5	2	8	..	22	9.7	1
Churu	46	6	6.7
Ganganagar	45	6	1	7	8.1	1
Tonk	45	11	12.7	2	..	2	..	8	9.2	1
Kotah	71	14	10.2	2	..	1	1	8	5.9	1
Sikar†																
Jaipur†																
Udaipur	103	15	7.5	3	..	3	..	9	4.5
Jodhpur	196	59	15.6	8	6	7	1	31	8.2	6
TOTAL		721	194	14.0	34	12	25	3	111	8.0	13
Travancore Cochin																
Alleppey	142	81	29.7	3	1	32	11.7	3
Changanacherry†																
Ernakulam	69	48	36.2	2	15	11.3	2
Kottayam†																
Mattanchery	83	67	42.0	2	2	..	5	17	10.7	8
Nagercoil	91	36	20.6	17	9.7	1
Quilon	73	107	76.2	2	4	2.8
Trichur†																
Trivandrum City	213	348	85.0	1	6	9	2.2
TOTAL		671	687	53.2	8	4	..	6	94	7.3	14
Saurashtra																
Bhavnagar	153	77	26.2	12	7	8	..	45	15.3	9
Dhoraji	46	28	31.7	1	8	9.0
Gondal	40	30	39.0	1	5	8	10.4
Jamnagar	119	28	12.2	4	1	2	..	15	6.6	6
Junagadh	65	36	28.8	6	2	1	..	22	17.6	7
Morvi	42	29	35.9	1	1	1	..	3	3.7
Porbandar	63	38	31.4	12	2	17	14.0	5
Rajkot	161	144	46.5	15	7	10	..	58	18.7	25
Surendranagar	41	16	20.1	3	1	1	..	8	10.1	4
Veraval	45	17	19.6	5	2	2	..	11	12.7
TOTAL		775	443	29.7	60	28	25	..	195	13.1	61

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil information ; N. R.—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 10th September, 1955—*contd.*

Town	Mid-year Popn.-Estd. (000)	B.	Deaths from :—								Total	D.R.*	I.D.	
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
ARREAR RETURNS														
For w/s the 3rd September 1955														
West Bengal														
Asansol†														
Baidyabat†														
Bally	65	91	15.2	1	6	4.8	1	
Bankura														
Bansberia†	50	2	2.1	1	4	4.2	..	
Baranagar†														
Basirhat†														
Berhampur	62	77	64.6	1	3	2.5	1	
Bhadreshwar	34	9	13.8	1	2	3.1	..	
Bhatpara	141	25	9.2	6	1	1	1	28	10.4	13	
Budge-Budge	32	10	16.3	5	8.1	1	
Burdwan	81	12	7.7	3	..	11	7.1	..	
Calcutta	2,931	1,594	28.4	3	58	67	115	3	606	10.8	171	
Champani	40	11	14.3	3	..	5	6.5	..	
Cooch-Behar†														
Darjeeling†														
English-Bazar	35	53	79.0	3	4.5	..	
Garden Reach	121	19	8.2	2	1	1	..	13	5.6	4	
Hallsabar	40	1	1.3	
Hooghly-Chinsurah	60	76	66.0	6	1	1	5	19	16.5	1	
Howrah	471	157	17.4	1	1	..	3	17	35	..	125	13.8	46	
Jalpaiguri	47	16	17.8	1	..	5	5.5	..	
Kamarhati†														
Kanchrapara	71	2	1.5	
Krishnagar	55	4	3.8	1	0.9	..	
Midnapore	44	31	36.7	1	3	..	13	15.4	..	
Nabadwip	67	45	35.0	1	8	1	..	1	14	10.9	..	
Naihati	61	5	4.3	3	2.6	..	
North Barrackpore	36	6	8.7	1	3	4.3	..	
Panihati†														
Shantipur	48	28	30.4	2	1	3	3.3	..	
Serampore	82	52	33.1	3	8	21	13.4	8	
Siliguri	42		16.1	
South Dum Dum	79	4	2.6	
South Suburban†														
Titagarh	76	18	12.3	1	9	..	1	1	13	8.9	1	
TOTAL	4,871	2,289	24.4	6	1	..	100	100	164	11	906	9.7	250	
Assam														
w/s the 3rd Sep., 1955														
Gauhati	50	9	9.4	7	5	20	20.8	3	
Travancore-Cochin														
w/s the 3rd and 10 Sep., 1955														
Kottayam	49	39	41.7	1	10	10.6	..	
Trichur	75	41	28.4	13	9.0	3	
Changanacherry	40	30	39.0	1	6	7.8	3	
Rajasthan														
w/s the 3th Sep., 1955														
Alwar	60	49	42.4	3	20	17.3	6	
Bharatpur	38	28	38.3	2	1	1	1	9	12.3	3	
Bikaner	117	50	22.2	3	2	5	1	16	7.1	..	
Churu	46	4	4.5	
Ganganagar	45	12	13.8	4	..	2	..	8	9.2	2	
Tonk	45	16	18.4	8	9.2	3	
Kotah	71	27	19.7	7	9	6.5	3	
Sikar†														
Jaipur	341	83	12.6	20	3	22	..	54	8.2	26	
Udaipur	103	12	6.1	4	..	1	..	17	8.5	..	
Jodhpur	196	74	19.6	..	1	..	10	1	3	..	24	6.3	6	
TOTAL	1,062	355	17.4	..	1	..	53	7	34	2	165	8.1	49	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Death; (included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 10th September, 1955 relate to 231 towns with an estimated population of 31,798 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 77% of the total number of towns representing 82% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 22,855 and 8,216 representing birth and death rates of 37.4 and 13.4 per thousand of population respectively.

(a) *States (Parts A and C).*—The data here relate to 200 towns with an estimated population of 28,060 thousands. Information about Ajmer, and Madhya Pradesh could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 79% of the total number of towns representing 86% of the total population is covered. The

number of births and deaths recorded in these towns were 20,665 and 7,441 representing birth rates and death rates of 38.3 and 13.8 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 31 towns with an estimated population of 3,738 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 65% of the total number of towns representing 58% of the total population is covered. The number of births and deaths recorded in these towns were 2,190 and 775 representing birth and death rates of 30.5 and 10.8 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 10-9-55		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Andhra	40.7	15.5	40.6	17.9	†	†
Bihar	23.8	8.0	19.5	8.4	17.0	8.7
Bombay	38.7	14.9	32.3	13.7	34.7	17.3
Delhi	39.4	10.0	41.1	7.5	48.6	12.8
Madras	44.2	16.1	38.2	18.4	†	†
Orissa	55.5	20.4	43.0	15.8	42.9	21.3
Punjab (I)	44.0	11.5	42.4	9.3	38.1	13.2
Uttar Pradesh	49.0	17.6	35.8	15.6	42.2	19.7
West Bengal	24.1	9.7	26.6	10.0	22.2	11.9
India (only States Parts 'A' and 'C')	38.3	13.8	36.0	13.7	37.5	17.9

† Figures not available.

NEW DELHI-2 (INDIA) :

The 3rd October, 1955

K. MITRA,
for Registrar General, India.